





RoHS Compliant

更改 REV	设计内容 MODIFICATION	日期 DATE	制图 DRAW	核准 APPROVE
A	图面发行	2012/10/29	LINYUN	ZHANG




NOTES:
MECHANICAL:
CAGES: COPPER ALLOY, THICKNESS 0.25MM.
PLATING: NO NEED.
THIS CAGE IS FOR SINGLE SIDE USE ONLY.
TEMPERATURE:
OPERATION: -40°C~+85°C
STORAGE: -40°C~+85°C
RoHS COMPLIANCE.


HTTPS://WWW.CHNCONN.COM		深圳市创勤电子有限公司 SHENZHEN CHUANGQIN ELECTRONICS CO.,LTD.			
◎◎ : Inspection Item ◎◎ : Cp/Cpk and SPC Control Item	DIMENSION IN mm [Inch]		料号 PART NO:		图号 DWG NO.
	TOLERANCE UNLESS OTHERWISE SPECIFIED		CQ047-SFP+1X6-L5-P		SFP+1X6-GZP
	.X± 0.25	X°± 1°	名称 TITLE SFP+ CAGE 1X6 PRESS FIT WITH LIGHTPIPE		
	.XX± 0.20	.X°± 0.5°			
	.XXX± 0.15				
核准 APPROVE ZHANG	审核 CHECK LIJY	制图 DRAW LINYUN	画法 PROJ.  比例 SCALE 1:1	页数 SHEET 1 / 1	
			图框 SIZE A3	更改 REV A	

RoHS Compliant

更改 REV	设计内容 MODIFICATION	日期 DATE	制图 DRAW	核准 APPROVE
A	图面发行	2012/10/29	LINYUN	ZHANG





此款成品由这两个部件分开包装在同一纸箱内



HTTPS://WWW.CHNCONN.COM		深圳市创勤电子有限公司 SHENZHEN CHUANGQIN ELECTRONICS CO.,LTD.			
◎◎ : Inspection Item ◎ : Cp/Cpk and SPC Control Item	DIMENSION IN mm [Inch]		料号 PART NO:		图号 DWG NO.
	TOLERANCE UNLESS OTHERWISE SPECIFIED		CQ047-SFP+1X6-L5-P		SFP+1X6-GZP
	.X± 0.25	X°± 1°	名称 TITLE SFP+ CAGE 1X6 PRESS FIT WITH LIGHTPIPE		
	.XX± 0.20	.X°± 0.5°			
	.XXX± 0.15				
核准 APPROVE ZHANG		审核 CHECK LIJY	制图 DRAW LINYUN	角法 PROJ. 比例 SCALE 1:1	 图框 SIZE A3
				更改 REV A	更改 SHEET 1 / 2

RoHS Compliant

更改 REV	设计内容 MODIFICATION	日期 DATE	制图 DRAW	核准 APPROVE
A	图面发行	2012/10/29	LINYUN	ZHANG



RECOMMENDED PCB LAYOUT (COMPONENT SIDE)

RECOMMENDED MINIMUM PCB THICKNESS: 1.50mm
(ALL TOLERANCES ARE ±0.05)


"回 □ ■ "圆孔均为通孔

RECOMMENDED PCB CONFIGURATION WITH KEEP-OUT
AREAS SINGLE SIDED APPLICATIONS


HTTPS://WWW.CHNCONN.COM		深圳市创勤电子有限公司 SHENZHEN CHUANGQIN ELECTRONICS CO.,LTD.			
◎◎ :Inspection Item ◎ :Cp/Cpk and SPC Control Item ◎ :CPK	DIMENSION IN mm [Inch]		料号 PART NO:		图号 DWG NO.
	TOLERANCE UNLESS OTHERWISE SPECIFIED		CQ047-SFP+1X6-L5-P		SFP+1X6-GZP
	.X± 0.25	X.°± 1°	名称 TITLE SFP+ CAGE 1X6 PRESS FIT WITH LIGHT PIPE		
	.XX± 0.20	.X°± 0.5°			
	.XXX± 0.15				
核准 APPROVE ZHANG		审核 CHECK LIJY	制图 DRAW LINYUN	画法 PROJ.  比例 SCALE 1:1	页数 SHEET 1 / 4 图框 SIZE A3 更改 REV A

RoHS Compliant

更改 REV	设计内容 MODIFICATION	日期 DATE	制图 DRAW	核准 APPROVE
A	图面发行	2012/10/29	LINYUN	ZHANG




BEZEL
RECOMMENDED PANEL CUTOUT AND PC BOARD
PANEL POSITION AND THICKNESS 0.8-2.6




BEZEL OPENING
BELOW TOP OF PCB

PCB THICKNESS



BEZEL
RECOMMENDED PANEL CUTOUT AND PC BOARD
PANEL POSITION AND THICKNESS 0.8-2.6



BEZEL OPENING
BELOW TOP OF PCB

PCB THICKNESS

HTTPS://WWW.CHNCONN.COM		深圳市创勤电子有限公司 SHENZHEN CHUANGQIN ELECTRONICS CO., LTD.		
QC : Inspection Item CPK : Cp/Cpk and SPC Control Item	DIMENSION IN mm [Inch]		料号 PART NO: CQ047-SFP+1X6-L5-P	图号 DWG NO. SFP+1X6-GZP
	TOLERANCE UNLESS OTHERWISE SPECIFIED		名称 TITLE SFP+ CAGE 1X6 PRESS FIT WITH LIGHT PIPE	
	.X± 0.25	X°± 1°		
	.XX± 0.20	.X°± 0.5°		
APPROVE ZHANG	.XXX± 0.15		制图 DRAW LINYUN	审核 CHECK LIJY
			制法 PROJ. SCALE 1:1	图框 SHEET A3
			比例 SCALE 1:1	图框 SHEET A3