






RoHS Compliant

更改 REV	设计内容 MODIFICATION	日期 DATE	制图 DRAW	核准 APPROVE
A	图面发行	2012/10/29	LINYUN	ZHANG



NOTES:

MECHANICAL:

CAGES: COPPER ALLOY, THICKNESS 0.25MM.

PLATING: NO NEED.

THIS CAGE IS FOR SINGLE SIDE USE ONLY.

TEMPERATURE:


OPERATION: $-40^{\circ}\text{C}\sim+85^{\circ}\text{C}$ STORAGE: $-40^{\circ}\text{C}\sim+85^{\circ}\text{C}$

RoHS COMPLIANCE.


HTTPS://WWW.CHNCONN.COM		深圳市创勤电子有限公司 SHENZHEN CHUANGQIN ELECTRONICS CO.,LTD.				
◎◎ : Inspection Item ◎◎ : Cp/Cpk and SPC Control Item	DIMENSION IN mm [Inch]		料号 PART NO:		图号 DWG NO.	
	TOLERANCE UNLESS OTHERWISE SPECIFIED		CQ047-SFP+1X4-L5-P		SFP+1X4-GZP	
	.X± 0.25	X°.± 1°	名称 TITLE			
	.XX± 0.20	.X°.± 0.5°				
	.XXX± 0.15					
核准 APPROVE ZHANG		审核 CHECK LIJY	SFP+ CAGE 1X4 PRESS FIT WITH LIGHTPIPE			
			制图 DRAW LINYUN	画法 PROJ. 比例 SCALE 1:1	 图框 SIZE A3	页数 SHEET 1 / 1 更改 REV A

RoHS Compliant


更改 REV	设计内容 MODIFICATION	日期 DATE	制图 DRAW	核准 APPROVE
A	图面发行	2012/10/29	LINYUN	ZHANG



RECOMMENDED PANEL CUTOUT AND PC BOARD
PANEL POSITION AND THICKNESS 0.8-2.6




RECOMMENDED PANEL CUTOUT AND PC BOARD
PANEL POSITION AND THICKNESS 0.8-2.6



BEZEL OPENING
BELOW TOP OF PCB

PCB THICKNESS





BEZEL OPENING
BELOW TOP OF PCB

PCB THICKNESS

HTTPS://WWW.CHNCONN.COM		深圳市创勤电子有限公司 SHENZHEN CHUANGQIN ELECTRONICS CO., LTD.			
QC : Inspection Item	CPK : Cp/Cpk and SPC Control Item	DIMENSION IN mm [Inch]		料号 PART NO:	图号 DWG NO.
		TOLERANCE UNLESS OTHERWISE SPECIFIED		CQ047-SFP+1X4-L4-P SFP+1X4-GZP	
		.X± 0.25	X.*± 1°	名称 TITLE SFP+ CAGE 1X4 PRESS FIT WITH LIGHT PIPE	
		.XX± 0.20	.X*± 0.5°		
		.XXX± 0.15			
核准 APPROVE	检查 CHECK	制图 DRAW	画法 PROJ.		图幅 SHEET
ZHANG	LIJY	LINYUN	比例 SCALE	1:1	图纸 SIZE
					A3
					更改 REV
					A

RoHS Compliant

更改 REV	设计内容 MODIFICATION	日期 DATE	制图 DRAW	核准 APPROVE
A	图面发行	2012/10/29	LINYUN	ZHANG



DETAIL A(SCALE 2:1)

RECOMMENDED PCB LAYOUT (COMPONENT SIDE)

RECOMMENDED MINIMUM PCB THICKNESS:1.50mm
(ALL TOLERANCES ARE ± 0.05)

"回 □ •"均为通孔

RECOMMENDED PCB CONFIGURATION WITH KEEP-OUT
AREAS SINGLE SIDED APPLICATIONS

HTTPS://WWW.CHNCONN.COM		深圳市创勤电子有限公司 SHENZHEN CHUANGQIN ELECTRONICS CO.,LTD.		
QC: Inspection Item CPK: Cp/Cpk and SPC Control Item	DIMENSION IN mm [Inch]		料号 PART NO: CQ047-SFP+1X4-L5-P	图号 DWG NO. SFP+1X4-GZP
	TOLERANCE UNLESS OTHERWISE SPECIFIED		名称 TITLE SFP+ CAGE 1X4 PRESS FIT WITH LIGHT PIPE	
	.X ± 0.25	X. $^{\circ}\pm 1^{\circ}$		
	.XX ± 0.20	.X. $^{\circ}\pm 0.5^{\circ}$		
核准 APPROVE ZHANG	.XXX ± 0.15		制图 DRAW LINYUN	画法 PROJ. 比例 SCALE 1:1
	审核 CHECK LIJY		图章 DRAWN	图章 CHECKED
		图章 DRAWN	图章 CHECKED	图章 APPROVED